



SERVICES REQUIRED
 ELECTRICAL - 3 KW
 AIR - 150 LITRE FREE AIR PER MIN
 COMPRESSED TO 5 BAR

TASCOL SHORE ENG LTD COPYRIGHT ©2002 USERS INSTALLATION RESPONSIBILITIES

THIS DRAWING AND COPIES OF IT ARE THE PROPERTY OF TASCOL SHORE AND MUST NOT BE COPIED OR CIRCULATED TO THIRD PARTIES WITHOUT THE WRITTEN CONSENT OF TASCOL SHORE ENG LTD

USERS MUST BE AWARE THAT THE EQUIPMENT IS DESIGNED TO OPERATE WITH THE FOLLOWING CONDITIONS:

- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM PARTICLE SIZE OF 100MM.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM MOISTURE CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM TEMPERATURE OF 100°C.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM DENSITY OF 1.5 TONNES PER CU M.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM ACIDITY OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM ALKALINITY OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM OIL CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM SULPHUR CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM PHOSPHORUS CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM CHLORINE CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM NITROGEN CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM SILICA CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM IRON CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM ZINC CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM COPPER CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM LEAD CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM CADMIUM CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM MERCURY CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM CHROMIUM CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM MANGANESE CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM NICKEL CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM VANADIUM CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM COBALT CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM MOLYBDENUM CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM SILICON CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM ALUMINUM CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM POTASSIUM CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM SODIUM CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM MAGNESIUM CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM CALCIUM CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM BARIUM CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM STRONTIUM CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM BROMINE CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM IODINE CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM FLUORINE CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM CHLORINE CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM SULPHUR CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM PHOSPHORUS CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM NITROGEN CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM OXYGEN CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM HYDROGEN CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM CARBON CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM SILICON CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM ALUMINUM CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM POTASSIUM CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM SODIUM CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM MAGNESIUM CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM CALCIUM CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM BARIUM CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM STRONTIUM CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM BROMINE CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM IODINE CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM FLUORINE CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM CHLORINE CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM SULPHUR CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM PHOSPHORUS CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM NITROGEN CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM OXYGEN CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM HYDROGEN CONTENT OF 10%.
- THE EQUIPMENT IS NOT TO BE USED FOR MATERIALS WITH A MAXIMUM CARBON CONTENT OF 10%.

REV	0	TASCOL SHORE ENGINEERING Ltd COPYRIGHT ©2003	THIS DRAWING AND COPIES OF IT ARE THE PROPERTY OF TASCOL SHORE AND MUST NOT BE COPIED OR CIRCULATED TO THIRD PARTIES WITHOUT THE WRITTEN CONSENT OF TASCOL SHORE ENG LTD	TITLE	SINGLE SCREW FED BL 160 WEIGHER	SCALE	1:20
DATE	4/03	CUSTOMER	STANDARD				
NAME	DW/FORD						
		TASCOL SHORE ENGINEERING Ltd	NOTTINGHAM ENGLAND				
				Drg. No. M3-0103-296			SHEET 01